



G45 Filament LED Lamps

Clear / Golden / Frosted / Milky / Silver Crown

A++ Energy Class | ENERGY STAR | Life Time 20000 hrs | ErP | CE | UL | RoHS | REACH |



G45 Clear

EU VERSION (220-240V) Wattage & Lumen : 2 W / 250 lm 4 W / 470 lm 4.5 W / 470 lm (Dimmable)	EU VERSION (220-240V) Wattage & Lumen : 2 W / 250 lm 4 W / 470 lm 3.5 W / 350 lm (Dimmable) 4.5 W / 470 lm (Dimmable)
US VERSION (110-130V) Wattage & Lumen : 2 W / 250 lm 4 W / 470 lm 4.5 W / 470 lm (Dimmable)	US VERSION (110-130V) Wattage & Lumen : 2 W / 250 lm 4 W / 470 lm 4.5 W / 470 lm (Dimmable)
Size (mm) : Ø45 X 82 (E26) Ø45 X 84 (E27) Ø45 X 83 (B22)	Size (mm) : Ø45 X 104 (E12) Ø45 X 85 (E14) Ø45 X 83 (B15)
6500K / 4000K / 2700K	6500K / 4000K / 2700K

G45 Golden

EU VERSION (220-240V) Wattage & Lumen : 4 W / 400 lm 4.5 W / 400 lm (Dimmable)	EU VERSION (220-240V) Wattage & Lumen : 2 W / 200 lm 4 W / 400 lm 4.5 W / 340 lm (Dim)(Ra90) 4.5 W / 400 lm (Dimmable)
Size (mm) : Ø45 X 84 (E27) Ø45 X 83 (B22)	Size (mm) : Ø45 X 85 (E14)
2200K / 2400K / 2700K	2000K / 2400K / 2700K

G45 Frosted

EU VERSION (220-240V) Wattage & Lumen : 2 W / 250 lm 4 W / 470 lm 4.5 W / 470 lm (Dimmable) 5 W / 640 lm (Dimmable)	EU VERSION (220-240V) Wattage & Lumen : 2 W / 250 lm 4 W / 470 lm 3.5 W / 320 lm (Dimmable) 4.5 W / 470 lm (Dimmable)
US VERSION (110-130V) Wattage & Lumen : 4 W / 470 lm	US VERSION (110-130V) Wattage & Lumen : 2.5 W / 220 lm (Dimmable)
Size (mm) : Ø45 X 82 (E26) Ø45 X 84 (E27) Ø45 X 83 (B22)	Size (mm) : Ø45 X 104 (E12) Ø45 X 85 (E14) Ø45 X 83 (B15)
6500K / 4000K / 2700K	6500K / 4000K / 2700K

G45 Milky

EU VERSION (220-240V) Wattage & Lumen : 2 W / 220 lm 4 W / 420 lm 4.5 W / 420 lm (Dimmable)	EU VERSION (220-240V) Wattage & Lumen : 2 W / 220 lm 4 W / 420 lm 4.5 W / 400 lm (Dimmable)
Size (mm) : Ø45 X 84 (E27) Ø45 X 83 (B22)	Size (mm) : Ø45 X 85 (E14) Ø45 X 83 (B15)
6500K / 4000K / 2700K	6500K / 4000K / 2700K

G45 Silver Crown

EU VERSION (220-240V) Wattage & Lumen : 4.5 W / 400 lm (Dimmable)
Size (mm) : Ø45 X 84 (E27) Ø45 X 83 (B22)
6500K / 4000K / 2700K

G16.5 Filament LED Lamps

Clear / Golden / Milky

ENERGY STAR | Life Time 20000 hrs | CE | RoHS



G16.5 Clear

US VERSION (110-130V)	US VERSION (110-130V)
Wattage & Lumen : 2.5 W / 200 lm (Dimmable)	Wattage & Lumen : 2.5 W / 200 lm (Dimmable)
3.5 W / 350 lm (Dimmable)	3.5 W / 350 lm (Dimmable)
4.5 W / 500 lm (Dimmable)	4.5 W / 500 lm (Dimmable)
Size (mm) : Ø50 X 79 (E26)	Size (mm) : Ø50 X 86 (E12)
6500K / 4000K / 2700K	6500K / 4000K / 2700K



G16.5 Golden

US VERSION (110-130V)	US VERSION (110-130V)
Wattage & Lumen : 3.5 W / 300 lm (Dimmable)	Wattage & Lumen : 3.5 W / 300 lm (Dimmable)
4.5 W / 350 lm (Dimmable)	4.5 W / 350 lm (Dimmable)
Size (mm) : Ø50 X 79 (E26)	Size (mm) : Ø50 X 86 (E12)
2000K	2000K



G16.5 Milky

US VERSION (110-130V)	US VERSION (110-130V)
Wattage & Lumen : 2.5 W / 170 lm (Dimmable)	Wattage & Lumen : 2.5 W / 170 lm (Dimmable)
4 W / 350 lm (Dimmable)	4 W / 350 lm (Dimmable)
5.5 W / 500 lm (Dimmable)	5.5 W / 500 lm (Dimmable)
Size (mm) : Ø50 X 79 (E26)	Size (mm) : Ø50 X 86 (E12)
6500K / 4000K / 2700K	6500K / 4000K / 2700K

G80 / G25 Filament LED Lamps

Clear / Golden / Frosted / Milky

| A++ Energy Class | ENERGY STAR | Life Time 20000 hrs | ErP | CE | UL | RoHS | REACH |



G80 / G25 Clear

EU VERSION (220-240V)

Wattage & Lumen :
 4 W / 470 lm
 5 W / 640 lm
 6 W / 810 lm
 8 W / 1055 lm
 12 W / 1521 lm
 4.5 W / 470 lm (Dimmable)
 6.5 W / 810 lm (Dimmable)

US VERSION (110-130V)

Wattage & Lumen :
 4 W / 470 lm
 2.5 W / 250 lm (Dimmable)
 4.5 W / 470 lm (Dimmable)
 5.5 W / 550 lm (Dimmable)
 6.5 W / 810 lm (Dimmable)

Size (mm) :
 Ø80 X 113 (E26)
 Ø80 X 115 (E27)
 Ø80 X 114 (B22)

6500K / 4000K / 2700K

G80 Clear (Housing)

EU VERSION (220-240V)

Wattage & Lumen :
 12 W / 1521 lm (Dimmable)

Size (mm) :
 Ø80 X 137 (E27)
 Ø80 X 136 (B22)

6500K / 4000K / 2700K

G80 / G25 Golden

EU VERSION (220-240V)

Wattage & Lumen :
 4 W / 430 lm
 4.5 W / 400 lm (Dimmable)

US VERSION (110-130V)

Wattage & Lumen :
 4 W / 400 lm
 4.5 W / 380 lm (Dimmable)
 5.5 W / 550 lm (Dimmable)
 6.5 W / 720 lm (Dimmable)
 7 W / 700 lm (Dimmable)

Size (mm) :
 Ø80 X 113 (E26)
 Ø80 X 115 (E27)
 Ø80 X 114 (B22)

2000K / 2700K

G80 / G25 Frosted

EU VERSION (220-240V)

Wattage & Lumen :
 5 W / 640 lm
 12 W / 1521 lm

US VERSION (110-130V)

Wattage & Lumen :
 4.5 W / 470 lm (Dimmable)
 5.5 W / 550 lm (Dimmable)

Size (mm) :
 Ø80 X 113 (E26)
 Ø80 X 115 (E27)
 Ø80 X 114 (B22)

6500K / 4000K / 2700K

G80 / G25 Milky

EU VERSION (220-240V)

Wattage & Lumen :
 5 W / 580 lm
 12 W / 1300 lm
 4.5 W / 420 lm (Dimmable)
 7 W / 720 lm (Dimmable)

US VERSION (110-130V)

Wattage & Lumen :
 4 W / 350 lm (Dimmable)
 4.5 W / 450 lm (Dimmable)
 5.5 W / 500 lm (Dimmable)
 6.5 W / 720 lm (Dimmable)

Size (mm) :
 Ø80 X 113 (E26)
 Ø80 X 115 (E27)
 Ø80 X 114 (B22)

6500K / 4000K / 2700K

G95 / G30 Filament LED Lamps

Clear / Golden / Frosted / Milky

A++ Energy Class | ENERGY STAR | Life Time 20000 hrs | ErP | CE | UL | RoHS | REACH |



G95 / G30 Clear

EU VERSION (220-240V)

Wattage & Lumen :

- 4 W / 470 lm
- 6 W / 810 lm
- 8 W / 1055 lm
- 10 W / 1200 lm
- 12 W / 1521 lm
- 4.5 W / 470 lm (Dimmable)
- 7 W / 810 lm (Dimmable)

US VERSION (110-130V)

Wattage & Lumen :

- 4.5 W / 550 lm (Dimmable)
- 5.5 W / 700 lm (Dimmable)
- 6.5 W / 780 lm (Dimmable)

Size (mm) :

- Ø95 X 133 (E26)
- Ø95 X 135 (E27)
- Ø95 X 134 (B22)

6500K / 4000K / 2700K

G95 Clear (Housing)

EU VERSION (220-240V)

Wattage & Lumen :

- 12 W / 1521 lm (Dimmable)

Size (mm) :

- Ø95 X 157 (E27)
- Ø95 X 156 (B22)

6500K / 4000K / 2700K

G95 / G30 Golden

EU VERSION (220-240V)

Wattage & Lumen :

- 4 W / 400 lm
- 6 W / 650 lm
- 4.5 W / 400 lm (Dimmable)
- 7 W / 720 lm (Dimmable)

US VERSION (110-130V)

Wattage & Lumen :

- 4.5 W / 440 lm (Dimmable)
- 5.5 W / 600 lm (Dimmable)
- 6.5 W / 620 lm (Dimmable)

Size (mm) :

- Ø95 X 133 (E26)
- Ø95 X 135 (E27)
- Ø95 X 134 (B22)

2200K / 2400K / 2700K

G95 Frosted

EU VERSION (220-240V)

Wattage & Lumen :

- 12 W / 1521 lm

Size (mm) :

- Ø95 X 135 (E27)
- Ø95 X 134 (B22)

6500K / 4000K / 2700K

G95 Milky

EU VERSION (220-240V)

Wattage & Lumen :

- 8 W / 930 lm
- 10 W / 1080 lm
- 12 W / 1300 lm
- 4.5 W / 420 lm (Dimmable)
- 7 W / 720 lm (Dimmable)
- 8 W / 930 lm (Dimmable)

Size (mm) :

- Ø95 X 135 (E27)
- Ø95 X 134 (B22)

6500K / 4000K / 2700K

G120 / G40 Filament LED Lamps

Clear / Golden

A++ Energy Class | ENERGY STAR | Life Time 20000 hrs | ErP | CE | UL | RoHS | REACH |



G120 / G40 Clear

EU VERSION (220-240V)

Wattage & Lumen :

4 W / 470 lm
 6 W / 810 lm
 7.5 W / 1000 lm
 8 W / 1055 lm
 12 W / 1521 lm
 4.5 W / 470 lm (Dimmable)
 7 W / 810 lm (Dimmable)
 8 W / 1055 lm (Dimmable)

Size (mm) :
 Ø124 X 168 (E27)
 Ø124 X 167 (B22)

6500K / 4000K / 2700K

US VERSION (110-130V)

Wattage & Lumen :

4.5 W / 470 lm (Dimmable)
 6.5 W / 810 lm (Dimmable)
 7 W / 850 lm (Dimmable)

Size (mm) :
 Ø124 X 166 (E26)

6500K / 4000K / 2700K

G120 Clear (Housing)

EU VERSION (220-240V)

Wattage & Lumen :

12 W / 1521 lm (Dimmable)

Size (mm) :
 Ø124 X 190 (E27)
 Ø124 X 189 (B22)

6500K / 4000K / 2700K

G120 / G40 Golden

EU VERSION (220-240V)

Wattage & Lumen :

6 W / 690 lm
 7 W / 720 lm (Dimmable)
 8 W / 930 lm (Dimmable)

Size (mm) :
 Ø124 X 168 (E27)
 Ø124 X 167 (B22)

2200K / 2400K / 2700K

US VERSION (110-130V)

Wattage & Lumen :

4.5 W / 450 lm (Dimmable)
 6.5 W / 620 lm (Dimmable)
 7 W / 760 lm (Dimmable)

Size (mm) :
 Ø124 X 166 (E26)

2200K / 2400K / 2700K

G120 / G40 Filament LED Lamps

Frosted / Milky

A++ Energy Class | ENERGY STAR | Life Time 20000 hrs | ErP | CE | UL | RoHS | REACH |



G120 Frosted

EU VERSION (220-240V)

Wattage & Lumen :
12 W / 1521 lm

Size (mm) :
Ø124 X 168 (E27)
Ø124 X 167 (B22)

6500K / 4000K / 2700K



G120 Milky

EU VERSION (220-240V)

Wattage & Lumen :
8 W / 930 lm
10 W / 1080 lm
12 W / 1300 lm
7 W / 720 lm (Dimmable)
8 W / 930 lm (Dimmable)

Size (mm) :
Ø124 X 168 (E27)
Ø124 X 167 (B22)

6500K / 4000K / 2700K



G120 Milky (Housing)

EU VERSION (220-240V)

Wattage & Lumen :
12 W / 1300 lm (Dimmable)

Size (mm) :
Ø124 X 190 (E27)
Ø124 X 189 (B22)

6500K / 4000K / 2700K